



Literaturangaben

1. Swerdlow SH et al., WHO Classification of Tumours of Haematopoietic and Lymphoid Tissues, Volume 2; IARC WHO Classification of Tumors No 2. IARC Press Lyon, 2017
2. JJM van Dongen, L Lhermitte, S. Boettcher, J Almeida, VHJ van der Velden et al. EuroFlow antibody panels for standardized n-dimensional flow cytometric immunophenotyping of normal, reactive and malignant leucocytes. *Leukemia*, 2012.
3. T Kalina, J Flores-Montero, VHJ van der Velden, M Martin Ayuso, S Boettcher et al. EuroFlow standardization of flow cytometer instrument settings and immunophenotyping protocols. *Leukemia*, 2012
4. J Flores-Montero, L Sanoja-Flores, B Paiva, N Puig, O Garcia Sanchez et al. Next generation Flow for highly sensitive and standardized detection of minimal residual disease in multiple myeloma. *Leukemia*, 2017
5. P Theunissen, E Mejstrikova, L Sedec, AJ na der Sluijjs-Gelling, G. Gaipa et al. Standardized flow cytometry for highly sensitive MRD measurements in B-cell acute lymphoblastic leukemia. *Blood*, 2017.
6. JB Oliveira, JJ Bleesing, U Dianzani, TA Fleisher, ES Jaffe et al. Revised diagnostic criteria for the autoimmune lymphoproliferative syndrome (ALPS): report from the 2009 NIH International workshop. *Blood*, 2010.
7. A. Dezern, DR Sutherland, A. Illingworth, T. Oldaker et al. Consensus Guidelines to detect GPI-deficient cells in Paroxysmal Nocturnal Haemoglobinuria (PNH) and related Disorders Part 1-4, *Cytom B*, 2018.
8. International Standards for hematopoietic cellular therapy product collection, processing and administration (FACT-JACIE)
9. K Ogata, Y Kishikawa, C Satoh, H Tamura, K Dan, A Hayashi. Diagnostik application of flow cytometric characteristics of CD34+ cells in low-grade myelodysplastic syndromes. *Blood*, 2006.
10. M Keeney, I Chin-Lee, K Weir, J Popma, R Nayar, DR Sutherland. Single platform flow cytometric absolute CD34+ cell counts based on the ISHAGE guidelines. *International Society of Hematology and Graft Engineering. Cytometry*, 1998.
11. May-Jean King et al., Rapid flow cytometric test for the diagnosis of membrane cytoskeleton-associated haemolytic anaemia. *British Journal of Hematology* 111, 2000
12. Hunt L. et al., Toward the Harmonization of Result Presentation for the Eosin-5'-Maleimide Binding Test in the Diagnosis of Hereditary Spherocytosis. *Cytometry Part B*, 2015